

VITIQ

Office furniture by KISCH

*Assembly guide
The Wall Solo*





Schuif de wandsteun over de hefkolom.



Slide the wall bracket over the lift column.



Schieben Sie die Wandhalterung über die Hubkolben.



Glissez le support mural sur la colonne de levage.



Schroef de voetplaat op de hefkolom.




Screw the footplate onto the lift column.



Schrauben Sie die Fußplatte an den Hubkolben.



Vissez la plaque de base sur la colonne de levage.



Schroef het bovenframe rondop de hefkolommen vast.



Screw the top frame securely around the lift columns.



Schrauben Sie den Oberen Rahmen fest um die Hubkolben.



Vissez fermement le cadre supérieur autour des colonnes de levage.



Bevestig het blad aan het Wall frame.




Attach the desktop to the wall frame.



Befestigen Sie die Tischplatte am Wandrahmen.



Fixez le plateau au cadre mural.



Schroef de controlebox vast onder het blad.




Screw the control box firmly underneath the desktop.



Schrauben Sie die Steuerbox fest unter die Tischplatte.



Vissez fermement la boîte de contrôle sous le plateau.



Klik de motorkabel in de controlebox.



Click the motor cable into the control box.



Klicken Sie das Motorkabel in die Steuerbox.



Cliquez le câble du moteur dans la boîte de contrôle.



Click the motor cable into the lift column.




Klik de motorkabel in de hefkolom.



Klicken Sie das Motorkabel in den Hubkolben.



Cliquez le câble du moteur dans la colonne de levage.



Klik de stroomkabel in de controlebox.




Click the power cable into the control box.



Klicken Sie das Stromkabel in die Steuerbox.



Cliquez le câble d'alimentation dans la boîte de contrôle.



Schroef de bediening vast aan het blad.



Screw the control panel onto the desktop.



Schrauben Sie die Bedienung fest an die Tischplatte.



Vissez le panneau de commande sur le plateau.



Klik de kabel van de bediening in kanaal A1.



Click the control panel cable into channel A1.



Klicken Sie das Kabel der Bedienung in Kanal A1.



Cliquez le câble du panneau de commande dans le canal A1.